



R288-G(yellow)



R288-U(red)



R288-G(red)



R288-V(red)



R288-U(silver)



IV-R288-V(red)



R288-M(red)



R288-M(silver)

Product name : Robot vacuum cleaner R288

Specification:

Main material :ABS,PP

Input voltage of charger:100-240V AC

Output voltage of charger:24V DC

Voltage of battery:14.4V

Unit average power:22watt

Working time of battery: 70minute

Charge time of battery pack:4-5 hours

Unit size:φ34*8CM

Character:

- 1) Automatically cleans your floor without any human direction, It can pick up dirt, dust ,pet hair and other debris that end up on your floor.
- 2) Automatically search the intelligent recharge base to recharge by itself when the power is short
- 3) It can be preset on intelligent recharge base to automatically clean at the presetting time of everyday, besides it, the unit can be preset to automatically start work when the recharge is finished.
- 4) Its compact size enables it to reach under furniture and other hard-to-reach places.
- 5) Stair Avoidance Detector assure the unit wont drop from the stairs and table.
- 6) The cleaner will escape automatically by itself when it was stuck by the furniture or something else.
- 7) Non-Marring Bumper to protect the furniture and wall from

bumping and scraping.

8) Virtual Wall Detector to avoid cleaner enter the district you don't want it to clean.

(Maybe use it as the doorway to make sure it clean the particular room)

9) Wall Following Sensor make sure the unit to clean floors following the wall once

it met and sensed the walls or any other obstacles standing on the floor.

10)It keeps your floor clean between periodic deep vacuuming,

11)Self-adjusting cleaning head automatically traverses uneven floor transitions as

it cleans carpet, hardwood, linoleum, and tile.

12)Easily slide out the bag-less particle bin to discard the dirt that it picked up.

Main Accessories:

Virtual wall Unit*1, battery charger*1, rechargeable battery packInstalled*1, spoon*1, Side Brush*1, Filter*1, clean brush*1, Instruction manual*1. Remote controller*1, automatic recharging base*1